



## MOTHERBOARD PUNTA P-G41 DDR3

- Chipset : Intel G41
- Memory type : Dual channel DDR3
- Expansion slot : 1x PCIx16, 1x PCI
- SATA connectors : 4x SATA, 1x COM, 1x LPT, 1x IDE
- USB ports : 4x USB 2.0
- Audio : 5.1 Realtek Audio
- Form factor : Micro ATX

[Read More](#)

**SKU:**

**Price:** ₹4,499.00

**Stock:** outofstock

**Categories:** [Computer Accessories](#), [Motherboard](#)

### Product Description

<b>MODEL NAME</b>	<b>P - G41</b>
PROCESSOR	Supports Intel Core 2 / Core 2 Duo/ Pentium D /Pentium 4/ Celeron D Processor in LGA775 package Compatible with all 800/1066/1333 MHz FSB CPUs. Support 4-pin CPU fan pin-header with fan speed control
CHIPSET	North Bridge: Intel G41 Chipset SouthBridge: Intel ICH7/ICH6 Chipset
MEMORY	Dual-Channel DDR3 memory technology Supports Dual Channel DDR3 800/1066/1333 SDRAM 2 x DDR3 DIMM slots Max. the capacity of system memory 4GB
BIOS	Supports "Plug and Play" Advanced power management

<b>MODEL NAME</b>	<b>P - G41</b>
GRAPHICS	Intel Graphics Media Accelerator 3100 Pixel Shader 2.0, DirectX 9.0
LAN	Realtek 8105E Fast Ethernet Controller (10/100Mbit) Compliance with PCI 2.2
AUDIO	Chip integrated by Realtek ALC662 Flexible with 5.1 Channel Compliant with Azalia 1.0 Spec
EXPANSION SLOT	1 x PCI Express x16 slot 1 x 2.2 PCI slots
STORAGE INTERFACE	1 IDE Port by Intel ICH7/ICH6 Supports Ultra DMA 66/100, PIO & Bus Master Mode 2 SATA Ports by Intel ICH7/ICH6
ONBOARD CONNECTORS	1 x 24-pin ATX power connector  1 x 4-pin ATX 12V power connector 1 x COM2 Pin headers 1 x floppy connector 1 x IDE connector (for 2 PATA devices) 4 x SATA 3Gb/s connectors 1 x CPU fan connector 1 x system fan connector 1 x front panel connector 1 x USB 2.0 header for additional 4 USB 2.0 ports (by cables) 1 x front audio connector
REAR PANNEL I/O	1 x PS/2 Mouse Port 1 x PS/2 Keyboard Port 1 x Serial (COM) Port 1 x Parallel Port 1 x VGA Port 4 x Ready-to-Use USB 2.0 Ports 1 x RJ-45 LAN Port

<b>MODEL NAME</b>	<b>P - G41</b> HD Audio Jack: Line in / Front Speaker / Microphone
<b>ACCESSORIES</b>	Quick Installation Guide: 1U I/O Shield: 1U SATA Data Cable: 2U CD Driver: 1U
<b>WARRANTY</b>	1 YEAR

---