

**PUNTRA**

In style..Always!

**PRODUCTS CATALOGUE**

**2024 - 2025 Edition**

**Monitors | Cabinets | Keyboard | Mouse | SMPS | SSD  
LED TVS | Speakers | Accessories and Much More**

**PUNTA**  
In style..Always!


## Walk In Service Centres.

- Skilled Engineers with capability to Execute all repairs on a chip level.
- Spare parts availability locally for quick Resolution
- Buffer stock for quick replacement.
- Centralized Software system for tracking and updates.

PUNTA


**Onsite  
Warranty\*\***

\*\* limited Products



## Punta Service Centre Network Pan India.

- 50+ service centres pan India and growing.
- All service centres equipped with latest Equipment and skilled support staff.
- Dedicated Phone tech support.
- All service centres linked through advanced software.



## Door Step Pickup and Drop Facility

- Introducing our new door step pickup and drop services for after sales support.
- Just need to raise a support ticket on our website- [www.puntaglobal.com](http://www.puntaglobal.com) with all the details.
- Very fast turnaround time for all queries and repairs.

\*\*Except LED TV & Subwoofer; \*T&C Apply.

[www.puntaglobal.com](http://www.puntaglobal.com) | [sales@puntaglobal.com](mailto:sales@puntaglobal.com)

Helpline no : 8100088088

**PIXELS**  
**PSM-2401**

**MRP : 9999/-**



**LED MONITOR**

**PIXELS SERIES**



**24**  
**P Series**



**SPECIFICATION**

- Display Size : 60.4 CM
- Resolution : 1920 X 1200 Pixels @ 60HZ
- Aspect Ratio : 16:9
- Pixel Pitch : 0.267(H)\*0.269(V) mm
- Display Color : 16.7M Colors (Typical)
- Brightness : 300 cd/m2 (Typical)
- Contrast Ratio : 5000:1 (Typical)
- Response Time : 2ms (Typical)
- Viewing Angle : 170°/160° (CR>10)
- Tilt Angle : -5°/15°



### PIXELS

P-154HS | P-154VS



#### SPECIFICATION

Display Size : 38.1 CM  
 Resolution : 1024X 768 Pixels @60Hz  
 Aspect Ratio : 16:9 LED Backlight  
 Pixel Pitch : 0.264(H)\*0.263(V) mm  
 Display Color : 16.7M Colors (Typical)  
 Brightness : 250 cd/m2 (Typical)  
 Contrast Ratio : 600:1 (Typical)  
 Response Time : 5ms (Typical)  
 Viewing Angle : H160°/V60° (CR>10)  
 Tilt Angle : -5°/15°



154HS:HDMI+VGA  
 154VS:VGA

MRP : 4999/-

### PIXELS

P-16HS | P-16VS



#### SPECIFICATION

Display Size : 39.1 CM  
 Resolution : 1280 X 800 Pixels  
 Aspect Ratio : 16:9 LED Backlight  
 Pixel Pitch : 0.160(H)\*0.160(V) mm  
 Display Color : 16.7M Colors (Typical)  
 Brightness : 250 cd/m2 (Typical)  
 Contrast Ratio : 1000:1 (Typical)  
 Response Time : 5ms (Typical)  
 Viewing Angle : H160°/V60° (CR>10)  
 Tilt Angle : -5°/15°

#### WIDE MONITOR



16HS:HDMI+VGA  
 16VS:VGA

MRP : 5999/-



### PIXELS

P-18HS



#### SPECIFICATION

Display Size : 43.18 CM  
 Resolution : 1280 X 1024 Pixels  
 Aspect Ratio : 4:3  
 Pixel Pitch : 0.264(H)\*0.264(V) mm  
 Display Color : 16.7M Colors (Typical)  
 Brightness : 220 cd/m2 (Typical)  
 Contrast Ratio : 1000:1 (Typical)  
 Response Time : 5ms (Typical)  
 Viewing Angle : H160°/V60° (CR>10)  
 Tilt Angle : -5°/15°



HDMI+VGA

MRP : 5499/-

### PIXELS

P-18HW



#### SPECIFICATION

Display Size : 43.4CM LED  
 Resolution : 1440 X 900 Pixels @ 75HZ  
 Aspect Ratio : 16:9  
 Pixel Pitch : 0.267(H)\*0.269(V) mm  
 Display Color : 16.7M Colors (Typical)  
 Brightness : 260 cd/m2 (Typical)  
 Contrast Ratio : 1000:1 (Typical)  
 Response Time : 5ms (Typical)  
 Viewing Angle : H170°/V60° (CR>10)  
 Tilt Angle : -5°/15°



HDMI+VGA

MRP : 5990/-





HDMI+VGA

## PIXELS

P-20HW

### SPECIFICATION

Display Size	: 48.26 CM
Resolution	: 1440 X 900 Pixels @60Hz
Aspect Ratio	: 16:9 TFT LED
Pixel Pitch	: 0.283(H)*0.283(V) mm
Display Color	: 16.7M Colors (Typical)
Brightness	: 250 cd/m2 (Typical)
Contrast Ratio	: 1000:1 (Typical)
Response Time	: 5ms (Typical)
Viewing Angle	: H170°/160° (CR>10)
Tilt Angle	: -5°15°



Display Size  
48.26 cm



Resolution  
1440\*900



Plug & Play



Power Saving  
Mode

MRP : 7999/-

## PIXELS

P-19HW

### SPECIFICATION

Display Size	: 46.99 CM
Resolution	: 1366X 768 Pixels @60Hz
Aspect Ratio	: 16:9 TFT LED
Pixel Pitch	: 0.264(H)*0.263(V) mm
Display Color	: 16.7M Colors (Typical)
Brightness	: 250 cd/m2 (Typical)
Contrast Ratio	: 1000:1 (Typical)
Response Time	: 5ms (Typical)
Viewing Angle	: H170°/160° (CR>10)
Tilt Angle	: -5°15°



Display Size  
46.99 cm



Resolution  
1366x768



Plug & Play



Power Saving  
Mode

MRP : 6999/-



HDMI+VGA



### PIXELS P-20HW



#### SPECIFICATION

Display Size	: 48.26 CM
Resolution	: 1440 X 900 Pixels @60Hz
Aspect Ratio	: 16:9 TFT LED
Pixel Pitch	: 0.283(H)*0.283(V) mm
Display Color	: 16.7M Colors (Typical)
Brightness	: 250 cd/m2 (Typical)
Contrast Ratio	: 1000:1 (Typical)
Response Time	: 5ms (Typical)
Viewing Angle	: H170°/160° (CR>10)
Tilt Angle	: -5°/15°

SLIM MONITOR



HDMI+VGA

MRP : 7999/-

### PIXELS P-19HW



#### SPECIFICATION

Display Size	: 46.99 CM
Resolution	: 1366X 768 Pixels @60Hz
Aspect Ratio	: 16:9 TFT LED
Pixel Pitch	: 0.264(H)*0.263(V) mm
Display Color	: 16.7M Colors (Typical)
Brightness	: 250 cd/m2 (Typical)
Contrast Ratio	: 1000:1 (Typical)
Response Time	: 5ms (Typical)
Viewing Angle	: H170°/160° (CR>10)
Tilt Angle	: -5°/15°

SLIM MONITOR



HDMI+VGA



MRP : 6999/-

### PIXELS P-20HW



Ultra-Slim

#### SPECIFICATION

Display Size	: 48.26 CM
Resolution	: 1440 X 900 Pixels @60Hz
Aspect Ratio	: 16:9
Pixel Pitch	: 0.2835(H)*0.2835(V) mm
Display Color	: 16.7M Colors (Typical)
Brightness	: 250 cd/m2 (Typical)
Contrast Ratio	: 1000:1 (Typical)
Response Time	: 5ms (Typical)
Viewing Angle	: H176°/160° (CR>10)
Tilt Angle	: -5°/15°



HDMI+VGA



MRP : 7999/-

### G-SERIES CABINETS



VEGAS GC-990ZX

VEGAS GC-4010ZX

VEGAS GC-1005ZX



### VEGAS GC-990ZX

#### FEATURES

- 3 USB Ports
- USB 3.0 Support
- 7 Expansion Slots
- 12cm 3 ARGB Fans with Remote
- Full Transparent Window
- 1 HD Audio Output
- 1 Mic Input

FRONT 12CM 3 LED FAN

MRP : 7990/-



12CM BLACK FAN

3 ARGB FANS

USB 3.0

### VEGAS GC-1005ZX

#### FEATURES

- 3 USB Ports
- USB 3.0 Support
- 7 Expansion Slots
- 12cm 3 ARGB Fans with Remote
- Full Transparent Window
- 1 HD Audio Output
- 1 Mic Input

FRONT 12CM 3 LED FANS

MRP : 8599/-



12CM BLACK FAN

3 ARGB FANS

USB 3.0



### VEGAS GC-4010ZX

#### FEATURES

- 3 USB Ports
- USB 3.0 Support
- 7 Expansion Slots
- 12cm 3 ARGB Fans with Remote
- Full Transparent Window
- 1 HD Audio Output
- 1 Mic Input

FRONT 12CM 3 LED FAN

MRP : 8599/-



12CM BLACK FAN



3 ARGB FANS

USB 3.0



**E-SERIES CABINETS**

PC CASE With Power Supply



\*\* 2 Years Warranty  
Only on SMPS



MODELS

SPARK   WIND   MICRON   STRIPES   MAGNET   PIXELS

<b>2</b> USB Port	<b>4</b> Expansion Slots	<b>1</b> MIC & Audio Port	<b>SPCC</b> INNER CASE	<b>ATX</b> MICRO ATX	<b>SSD - 2</b> <b>HDD - 2</b> <b>ODD - 1</b>
----------------------	-----------------------------	------------------------------	---------------------------	-------------------------	--



**SPARK**

**FEATURES**

SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

MRP : 2499/-



**WIND**

**FEATURES**

SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

MRP : 2499/-



**MICRON**

**FEATURES**

SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

MRP : 2499/-



**STRIPES**

**FEATURES**

SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

MRP : 2499/-



**MAGNET**

**FEATURES**

SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

MRP : 2499/-



**PIXELS**

**FEATURES**

SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

MRP : 2499/-





**ARMOUR**

**FEATURES**  
SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

**MRP : 2499/-**

**VAULT**

**FEATURES**  
SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

**MRP : 2499/-**



**LIBRA**

**FEATURES**  
SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

**MRP : 2499/-**

**MARVEL**

**FEATURES**  
SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

**MRP : 2499/-**



**MOSAIC**

**FEATURES**  
SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

**MRP : 2499/-**

**GLOW**

**FEATURES**  
SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

**MRP : 2499/-**



**TAURUS**

**FEATURES**  
SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

**MRP : 2499/-**



**EXQUISITE**

**FEATURES**  
SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

**MRP : 2499/-**

**LEO**

**FEATURES**  
SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

**MRP : 2499/-**



**ENDEAVOUR**

**FEATURES**  
SPCC Inner Structure  
2 X Front USB Port  
Audio/Mic Port  
Support Up to 2 SSD, 2 HDD  
1 DVD ROM  
Compatible with  
all ATX Motherboards

**MRP : 2499/-**



\*\* 2 Years Warranty  
Only on SMPS

## CHICLET P-KB601



### WIRELESS COMBO

MRP : 1299/-

#### FEATURES

Standard keys: 102  
 Specification Size :445\*141\*22mm  
 Work life: 10 Million times  
 Work voltage: 5V  
 Work current: 10mA  
 Battery: 2pcs \* AAA (Not Included)  
 Inside material: Copper clad steel

**Mouse Features**  
 DPI Resolution: 1000DPI  
 (1200-1600DPI option)  
 Number of Button: 3  
 Working Current: 8-15mA  
 Battery: 2pcs \* AAA (Not Included)

- USB Plug-and-Play
- Spill-Resistant Design
- Multimedia Control

## DUO P-KB401

### WIRED COMBO



MRP :999 /-

- USB
- Spill-Resistant
- Multimedia

## KEYBOARD & MOUSE COMBO

### WIRED KEYBOARD



## MATRIX

#### FEATURES

105 Membrane Keys  
 12 Keys With Multimedia Function  
 USB 2.0  
 PC, MAC,PS4 AND AND XBOX COMPATIBLE

MRP : 999/-

- Spill-Resistant Design
- Multimedia Control
- USB Plug-and-Play

## CONSOLE P-KB301



### WIRED KEYBOARD

#### FEATURES

Standard keys: 102  
 Specification Size :445\*141\*22mm  
 Work life: 10 Million times  
 Work voltage: 5V  
 Work current: 10mA  
 Battery: 2pcs \* AAA (Not Included)  
 Inside material: Copper clad steel

- USB Plug-and-Play
- Spill-Resistant Design
- Multimedia Control

MRP : 799/-

## KLASSIK

### FEATURES

Standard keys: 3 led Indicator  
Silk Print with UV coat Keys  
Cable length 1.3 Meter  
English layout with rupee symbol.  
Working Current 10 mA  
Plug & Play USB Feature  
Compatible With Windows 7,8,10 & Mac

MRP : 699/-



## WIRED KEYBOARD



## KEYBOARD

## WIRED MINI KEYBOARD



## CURVE

### FEATURES

Standard keys: 86  
Cable with SR Lock  
Cable length 1.2 Meter  
Mini Design  
Working Current 10 mA  
Plug & Play USB Feature  
Compatible With Windows 7,8,10 & Mac

MRP : 499/-




Available in colors



## TOUCH

### Specifications :

Number of Buttons : 3  
Resolution : 1200 DPI  
Interface : Wire USB (Plug & Play)  
Cable Length : 1.2 M Approx.  
Compact Design  
Operating Voltage : 5v/100mA  
High Precision Optical Wired Mouse.



MRP : 699/-

## SIGNATURE

### Specifications :

Number of Buttons : 3  
Resolution : 1200 DPI  
Interface : Wire USB (Plug & Play)  
Cable Length : 1.2 M Approx.  
Compact Design  
Operating Voltage : 5v/100mA  
High Precision Optical Wired Mouse.

Available in colors



MRP : 599/-

## MOUSE



## KLICK



MRP : 499/-



## WM 801 Wireless Mouse

### 3W033

800 | 1200 DPI



MRP : 699/-

COLOUR AVAILABLE



## WM 802 Wireless Mouse

### 3W033

800 | 1200 DPI



MRP : 699/-





**TYPE- C TO USB HUB**  
Multi-Interface Adapter

**4** USB PORTS | **5Gbps** SUPER SPEED | **LED** INDICATOR

**ULTRA SLIM**

**TYPE - C 3.0**



**P-4PUSH30**

**MRP : 999/-**



**SLIM USB HUB 2.0**

CLEAR USB 2.0 SIGNAL, SUPER SPEED 480 Mbps

**P-4PSLH20**



- Features**
- LED indicator for power status
  - Multiple USB 3.0 interface supports plug and play, hot-swap, easy to use and carry
  - support over current and instant current protection, protect the connected devices.
  - support USB 3.0 super speed 480Mbps transmission, downward compatible USB 2.0\*
  - Drive free, supports windows xp / vista / 7 / 8 and Mac OS, Linux
  - Independent supply provides power supply to connected devices



**MRP : 799/-**

**2.0** USB HUB | **4** Ports | **480** Mbps



**P-4PSWH20**  
4PORT 2.0 USB HUB

- Product features**
- With 4 USB2.0 port with super speed 480 Mbps
  - With LED indication
  - With slim size
  - With fuse to protect all devices
  - With DC5V power jack
  - Compliant with USB revision 2.0

**MRP : 999/-**

**60** cm

**USB 2.0 HUB**  
**P-4PH20**

**4** Ports



**480** Mbps

**MRP : 499/-**

**4.PORTS USB HUB**  
**4PSH**



**4** Ports



**100** cm

- PRODUCT FEATURES**
- With 4 USB 2.0 port withspeed upto 480 Mbps
  - With LED indication
  - With SLEEK DESIGN
  - With fuse to protect all devices
  - Compliant with USB revision 2.0

**LED indicator on/off Switch**

**MRP : 499/-**




# NVMe SSD

NVMe | M.2

NVMe Pcie Gen 3.0 X 4 SSD

# SOLID STATE DRIVE

2.5 Inch SATA III



Capacity

- 128GB
- 256GB
- 512GB
- 1TB




Available Size  
**128 GB, 256 GB, 512 GB**

10X Faster Than  
Hard Disk

128 GB MRP : 3,999/- | 256 GB MRP : 4,999  
512 GB MRP : 6,999

# MOTHERBOARD

## P-H310 NVME



Intel H310 Chipset  
Dual-channel DDR4  
5.1 Channel HD Audio  
Micro-ATX Architecture

MRP : 8.499/-

# MOTHERBOARD



## P-H61 NVME

### Specifications

Supported CPU	Support LGA 1150 Socket i3/i5/i7 Series CPU
Chipset	Intel H61 Chipset
Memory Supported	2 DDR3 dual-channel RAM slots, Memory up to 16GB, Supports DDR3 1600/1333MHz memory
BIOS	AMIBIOS
I/O Interface	1 x VGA port, 1 x HDMI port, 2 x USB 2.0 port, 4 x USB 3.0 compatible with USB 1.1, 1 x Audio Jacks (line in/out, Mic in), 1 x RJ45 port
Onboard Interface	1 x 24-pin ATX power connector, 1 x 4-pin ATX 12V power connector, 1 x USB connectors, can support 2*USB 2.0 & USB connectors, can support 2*USB 3.0, 1 x F_AUDIO connector, 1 x F_PANEL connector, 1 x SPEAKER connector, 2 x FAN connectors, 3 x Serial ATA connection ports with 5-channel HD Audio Codec onboard provides front audio interface; provides front stereo mic interface with 10/100/1000 Mbps LAN onboard (Optional)
Integrated Sound	With 5-channel HD Audio Codec onboard provides front audio interface; provides front stereo mic interface with 10/100/1000 Mbps LAN onboard (Optional)
Expansion Slot	1 x PCI Express x16 slot, 1 x PCI Express x1 slot, 1 x NVME M.2 slot
Form Factor	Micro-ATX

MRP : 4.999/-



## P-H81 NVME

### Specifications

Supported CPU	Support LGA 1150 Socket i3/i5/i7 Series CPU
Chipset	Intel H81 Chipset
Memory Supported	2 DDR3 Dual-Channel RAM slots, Memory up to 16GB, Supports DDR3 1600/1333 MHz memory
BIOS	AMI BIOS
I/O Interface	1 x VGA Port, 1 x HDMI port, 2 x USB 3.0 port, 4 x USB 2.0 compatible with USB 1.1, 1 x Audio Jacks (line in/out, Mic in), 1 x RJ45 port
Onboard Interface	1 x 24-pin ATX power connector, 1 x 4-pin ATX 12V power connector, 1 x USB connectors, can support 2*USB 2.0 & USB connectors, can support 2*USB 3.0, 1 x F_AUDIO connector, 1 x F_PANEL connector, 1 x SPEAKER connector, 2 x FAN connectors, 3 x Serial ATA connection ports with 5-channel HD Audio Codec onboard provides front audio interface; provides front stereo mic interface with 10/100/1000 Mbps LAN onboard (Optional)
Integrated Sound	With 5-channel HD Audio Codec onboard provides front audio interface; provides front stereo mic interface with 10/100/1000 Mbps LAN onboard (Optional)
Expansion Slot	1 x PCI Express x16 slot, 1 x PCI Express x1 slot, 1 x NVME M.2 slot
Form Factor	Micro-ATX

MRP : 6.499/-



## P-H110 NVME



### Specifications

Supported CPU	Support LGA 1151 Socket i3/i5/i7 Series CPU
Chipset	Intel H110 Chipset
Memory Supported	2 DDR4 dual-channel RAM slots, Memory up to 32GB, Supports DDR4 2133/2400/2666 MHz memory
BIOS	EFI BIOS
I/O Interface	1 x VGA Port, 1 x HDMI Port, 1 x DP Port, 2 x USB 3.0 Port, 2xUSB 2.0 compatible with USB 1.1, 1 x Audio Jacks (line in/out, Mic in), 1 x RJ45 Port, 1 x PS/2 Port
Onboard Interface	1 x 24-Pin ATX power connector, 1 x 4-pin ATX 12V power connector, 1 x USB connectors, can support 2*USB 2.0, 1 x USB connectors, can support 2*USB 3.0, 1 x F_AUDIO connector, 1 x F_PANEL connector, 1 x SPEAKER connector, 2 x FAN connectors, 3 x Serial ATA connection ports, 1 x COM connector
Integrated Sound	With 5-channel HD Audio Codec onboard provides front audio interface; provides front stereo mic interface with 10/100/1000 Mbps LAN onboard (Optional)
Expansion Slot	1 x PCI Express x16 slot, 1 x PCI Express x1 slot, 1 x NVME M.2 slot
Form Factor	Micro-ATX

**UPS BATTERY**



**VALVE REGULATED LEAD ACID BATTERY**  
**P- 12V / 7.0Ah**

12VOLT C<sub>20</sub> @ 25°C/77°F - 7.2Ah

FLOAT CHARGING VOLTAGE 13.60 TO 13.80V  
CYCLIC CHARGING VOLTAGE 14.50 TO 15.00V  
INITIAL CHARGING CURRENT LESS THAN 2.1A

**MRP : 1,499/-**

**CPU COOLING FAN**

**P-CF775**



**MRP : 499/-**



**Breez RL**

**MRP : 699/-**



**P-CF 4 IN 1**



**MRP : 499/-**

**Breez**

**MRP : 699/-**



**WIRELESS ADAPTOR**

**WD811**

Wireless Standards: IEEE 802.11b/g, IEEE 802.11n (T/TX mode, 150 Mbps)  
Host Interface: High speed USB 2.0 / 1.1 interface  
Data Rate: 802.11n : upto 150 MBPS (downlink) and 150 MBPS (uplink)  
802.11g : 54/48/36/24/18/12/9/6 MBPS auto fallback  
802.11b : 11/5.5, 5/2/1 MBPS auto fallback  
Frequency Band: 2.4 GHZ ISM (Industrial Scientific Medical) Band

**MRP : 999/-**





**2.5" SSD/HDD Enclosure**  
**USB 3.0 | USB 3.1**



Available Pin



USB Type C

Support up to  
**4TB**  
Capacity


*2.5" SSD/HDD Enclosure*  
**USB 3.0 | USB 3.1**

Up to  
**5Gbps**  
Faster

Available Colour  
**Transparent Black**  
**Transparent White**



Output interface: Micro B to SATA/ Type C to SATA  
Transfer rate: USB 3.0  
Supported capacity: up to 4TB  
Support 5Gbps USB3.0 transmission protocol  
compatible with USB2.0. | Support system: windows/Mac/Linux



**2.5" SSD/HDD Enclosure**  
**USB 3.1**

Specifications:  
Output interface: USB type C  
Transfer rate: USB3.1  
Supported capacity: up to 4TB  
Support 5Gbps USB3.1 transmission protocol  
compatible with USB2.0.  
Support system: windows/Mac/Linux



Type C to SATA



2.5" SATA  
Enclosure



Capacity  
UP TO 4TB



USB 3.1



USB Type C

Available Colour  
**Transparent Black**  
**Transparent white**

MRP : 999/-

**HDD ENCLOSURE**  
TOOL FREE INSTALLATION | SIMPLE PLUG & PLAY

MODEL NO P025

MRP : 999/-

MODEL NO P035

MRP : 999/-



**2.5"**  
SATA HDD



2.5 INCH  
SATA  
HARD DRIVER  
ENCLOSURE



## CAT 6 Cable ( 200M )

0.51m CCA , 200 MTR Coil  
100x2 in Single Box

High Speed Network Cable



**Product Discription**

Cable Type : Cat6  
Core Conductor : 51mm CCA  
Core Spec : 8 Core Twister  
Separator : Yes  
Thread : Yes  
Insulation Jacket : PVC Grey



**RAPID | EXPRESS | PACE**

## CCTV Cable 3+1

High Speed CCTV Cable

EXPRESS CCTV Cable 3+1 ( 90 Yards )

MRP : 2.499/-

RAPID CCTV Cable 3+1 ( 70 Yards )

MRP : 1.999/-





**VELOCITY 20CC**  
CAT 6 WIRE 20CC INDOOR  
GRAY DOUBLE COATING



20 GAUGE  
VIDEO CABLE



NETWORK CABLE  
**305**  
METERS IN REEL



HIGH-GRADE  
PVC MATERIAL



DATA, A/V  
TRANSMISSION



FLAME  
RETARDANT  
CABLE



COMPLETE  
RELIABILITY



SUPPORTS  
HYBRID CABLE

**VELOCITY 18CO**  
CAT 6 WIRE 18CO INDOOR  
GRAY DOUBLE COATING



18 GAUGE  
COPPER VIDEO  
CABLE



NETWORK CABLE  
**200**  
METERS  
100 X 2\*\*



HIGH-GRADE  
PVC MATERIAL



DATA, A/V  
TRANSMISSION



FLAME  
RETARDANT  
CABLE



COMPLETE  
RELIABILITY



SUPPORTS  
HYBRID CABLE



**TUFFX 18DCO**  
CAT 6 WIRE 18DCO OUTDOOR  
BLACK DOUBLE COATING



18 GAUGE  
COPPER VIDEO  
CABLE



NETWORK CABLE  
**305**  
METERS IN REEL

**TUFFX 18DCO**  
CAT 6 WIRE 18DCO OUTDOOR  
BLACK DOUBLE COATING



20 GAUGE  
VIDEO CABLE



NETWORK CABLE  
**200**  
METERS  
100 X 2\*\*

CONSUMER ELECTRONICS



- frameless
- Vivid
- android
- Miracast
- Voice Controller
- Quad Core



SMART LED TV



**CRYSTAL PLT 8501S (85")**

**FEATURES**

Size	216cm (85")
Resolution	3840x2160
HDMI	3
USB	2
PC Audio in	1
Headphone Jack	1
AV IN	2
View Angle	178 Degree
Aspect Ratio	16:9
Speaker Output	40w
CPU Core	Quad Core
RAM   ROM	2 GB   16 GB
OS	Android 9

MRP : 175,999,00/-



**CRYSTAL PLT 7501S (75")**


**FEATURES**

Size	191cm (75")
Resolution	3840x2160
HDMI	3
USB	2
PC Audio in	1
Headphone Jack	1
AV IN	2
View Angle	178 Degree
Aspect Ratio	16:9
Speaker Output	30w
CPU Core	Quad Core
RAM   ROM	2 GB   16 GB
OS	Android 9

MRP : 120,000/-



DOUBLE GLASS PANEL 4K frameless Voice Controller



**CRYSTAL PLT 6501S (65")**

**FEATURES**

Size	164cm (65")
Resolution	3840x2160
HDMI	3
USB	2
PC Audio in	1
Headphone Jack	1
AV IN	2
View Angle	178 Degree
Aspect Ratio	16:9
Speaker Output	30w
CPU Core	Quad Core
RAM   ROM	2 GB   16 GB
OS	Android 9

MRP : 79,999/-





4K frameless

### CRYSTAL PLT 5001S (50")

#### FEATURES

Size :	126cm (50")
Resolution	3840x2160
HDMI	2
USB	2
PC Audio in	1
Headphone Jack	1
AV IN	2
View Angle	178 Degree
Aspect Ratio	16:9
Speaker Output	30w
CUP Core	Quad Core
RAM   ROM	1GB   8 GB
OS	Android 9

MRP : 48,990/-



4K frameless


### CRYSTAL PLT 4301S (43")

#### FEATURES

Size :	109cm (43")
Resolution	3840x2160
HDMI	2
USB	2
PC Audio in	1
Headphone Jack	1
AV IN	2
View Angle	178 Degree
Aspect Ratio	16:9
Speaker Output	30w
CUP Core	Quad Core
RAM   ROM	1GB   8 GB
OS	Android 9

MRP : 44,990/-

4K frameless



frameless SMART LED TV

### CRYSTAL PLT 4301S (43")

#### FEATURES

Size :	109cm (43")
Resolution	1920x1080
VGA	1(On Selected Models)
HDMI	2
USB	2
PC Audio in	1
Headphone Jack	1
AV IN	2
View Angle	178 Degree
Aspect Ratio	16:9
Speaker Output	30w
CUP Core	Quad Core
RAM   ROM	1GB   8 GB
OS	Android 9

MRP : 38,990/-



### CRYSTAL PLT 4001S (40")

#### FEATURES

Size :	60cm (40")
Resolution	1366x768
VGA	1
HDMI	1
USB	2
PC Audio in	1
Headphone Jack	1
AV IN	2
View Angle	178 Degree
Aspect Ratio	16:9
Speaker Output	30w
CUP Core	Quad Core
RAM   ROM	1GB   8 GB

MRP : 31,990/-



SMART LED TV

### CRYSTAL PLT 3201S (32") (SMART LED TV) CRYSTAL PLT 3201 (32") (NORMAL TV)

#### FEATURES

Size :	60cm (32")
Resolution	1366x768
VGA	1
HDMI	1
USB	2
PC Audio in	1
Headphone Jack	1
AV IN	2
View Angle	178 Degree
Aspect Ratio	16:9
Speaker Output	30w
CUP Core	Quad Core
RAM   ROM	1GB   8 GB

MRP : 23,999/-



frameless Onsite Warranty

### CRYSTAL PLT 2401 (24") SMART LED TV



MRP : 13,999/-



**1 YEAR WARRANTY**

### CHORD

Tall Tower Speaker



8 INCH SUB WOOFER  
4 INCH X 2 SATELLITES  
100 WATT RMS  
1 MIC WIRELESS

Bluetooth USB AUX FM LED DISPLAY

MRP : 7999/-

### TANGO

Tower Speaker



8 INCH X 4 SUB WOOFER  
4 INCH X 4 SATELLITES  
2 Wired Mic Ports  
2 MICs WIRELESS  
KAROKE

Bluetooth USB AUX FM LED DISPLAY

MRP : 17,999/-

### ACOUSTIC

Tower Speaker



KAROKE  
200 WATT RMS  
4 INCH X 2 SATELLITES  
8 INCH X 2 SUB WOOFER

Bluetooth USB AUX FM LED DISPLAY

MRP : 12,999/-

### DHOOM

BOOMBOX



1 MIC WIRELESS  
80 WATT RMS  
3 INCH X 2 SATELLITES  
6.5 INCH SUB WOOFER

Bluetooth USB AUX FM LED DISPLAY

MRP : 5999/-

### DRUM

BOOMBOX



1 MIC WIRELESS  
100 WATT RMS  
3 INCH X 2 SATELLITES  
6.5 INCH SUB WOOFER

Bluetooth USB AUX FM LED DISPLAY

MRP : 6999/-

Bluetooth

### ACOUSTIC NX

Tower Speaker

USB  
UNIVERSAL SERIAL BUS

AUX

FM  
radio

LED  
DISPLAY

8 Inch / 2  
SUB Woofer

4 Inch X 2  
SATELLITES

200  
WATT RMS

2MIC  
WIRELESS

MRP : 12,999/-



### TANGO NX

Tower Speaker

Bluetooth

USB  
UNIVERSAL SERIAL BUS

AUX

FM  
radio

LED  
DISPLAY

4 Inch X 2  
SATELLITES

10 Inch / 4  
SUB Woofer

300  
WATT RMS

2MICS  
WIRELESS

2 Wired  
Mic Ports

KARAOKE

MRP : 12,999/-



### ULTRASONIC

Tower Speaker

Bluetooth

USB  
UNIVERSAL SERIAL BUS

AUX

FM  
radio

LED  
DISPLAY

8 Inch / 2  
SUB Woofer

4 Inch X 2  
SATELLITES

240  
WATT RMS

2MICS  
WIRELESS

2 Wired  
Mic Ports

KARAOKE

MRP : 12,999/-



### DRUM NX

BOOMBOX

Bluetooth

USB  
UNIVERSAL SERIAL BUS

AUX

FM  
radio

LED  
DISPLAY

5.25 Inch  
SUB Woofer

3 Inch X 2  
SATELLITES

100  
WATT RMS

1MIC  
WIRED

MRP : 12,999/-



## SPEAKER



**200**  
WATT RMS

### SUBWOOFER

#### GALAXY PRIME 5200BU

Power Output(RMS): 200 W  
 Woofer Driver Size 8"  
 Satellite Driver Size 3"  
 Satellite 20W x 5  
 LED Display  
 Built In Digital FM Function  
 Power Source: AC 220V ~ 240V 50/60Hz  
 Wireless music streaming via Bluetooth  
 Memory Card Slot  
 Smart Remote Control

MRP : 12,490/-



#### SP-A188 TROLLEY

Output Power (RMS) 120W  
 Woofer Driver Size 8"  
 Guitar Input & Karaoke Function  
 AUX audio input compatible with DVD/PC/TV/Tablet/Mobile  
 LED display  
 Power indicator LED  
 Fully function smart remote control  
 USB, SD Card & Bluetooth support  
 Adjustment Bass/ Treble/Echo/Micro  
 Rechargeable Battery  
 Wireless Microphone  
 Titanium Membrane

**120**  
WATT RMS

MRP : 14,990/-



#### GALAXY A150

Power Output(RMS): 150 W  
 Woofer Driver Size 8"  
 Satellite Driver Size 3"  
 Satellite 25W x 2  
 LED Display  
 Built In Digital FM Function  
 Power Source: AC 220V ~ 240V 50/60Hz  
 Wireless music streaming via Bluetooth  
 Memory Card Slot  
 Smart Remote Control

**150**  
WATT RMS



MRP : 8,990/-



#### VENUS T2



**120**  
WATT RMS

MRP : 6,990/-



#### P-4450U

Power Output(RMS): 73 W  
 Woofer Driver Size 5.25" (25W)  
 Satellite Driver Size 4" (12W x 4)  
 Freless Response 40 Hz - 20 kHz  
 USB/SD Card Slot  
 Smart Remote Control  
 LED Display

**75**  
WATT RMS

MRP : 3,350/-





# SYMPHONY A1





**Bluetooth**

**USB**

**FM**

**LED DISPLAY**

**SYMPHONY A1**  
0W RMS 2.1 Bluetooth Speaker  
Dual Driver for extra Clarity  
Driver Size 5" x 3" x 2  
Loud and Distortion-Free Music  
Wireless Bluetooth Streaming  
Bluetooth Function  
Aux Out  
USB Compatibility  
FM Radio Function!

**MRP: 4,490/-**

## Prima USB HEADPHONE WITH MIC



POWERFUL 40MM DRIVERS

ADJUSTABLE MIC

HIGH-QUALITY STEREO SOUND

LED INDICATOR

USB HEADPHONE

VOLUME CONTROLLER

**BEAT**  
MRP: 749/-

**STYLE**  
MRP: 749/-

**NEO**  
MRP: 749/-

### CANDY



Output Power (RMS): 7W  
Driver Size: 3"  
Frequency Response: 100 Hz - 10KHz  
Charging Power: DC 5V/1A  
Battery Capacity: 1800mAh  
Bluetooth: V.3.  
Bluetooth Range: 10 m.  
Charging Time: 3-4 hours.  
Battery Backup 5-6 Hours in Moderate Volume.  
Wireless Bluetooth Streaming  
SD Card & AUX in Compatibility

**Bluetooth**

**USB**

**FM**

**MRP: 2,490/-**

### ZEST



**Bluetooth**

**USB**

**FM**

**MRP: 999/-**

### ZING



**Bluetooth**

**USB**

**FM**

**MRP: 1,999/-**

### MAGIC KARAOKE



Karaoke Speaker with Handheld Mic  
Superior Quality Speaker with Internal Drive  
Audio Recording Function  
Noise Cancellation Features  
Long-Lasting Battery  
Bluetooth Feature  
RMS & WATT (2W\*2)  
Inbuilt battery 2000mAh

**Bluetooth**

**USB**

**FM**

**MRP: 2,999/-**

### JAZZ



40 mm Speaker  
Adjustable Headphone  
Adjustable Headband  
Comfortable Cushion  
Dynamic Speaker  
Mobile compatible

**MRP: 749/-**

### PEARL



OUTPUT RMS POWER (W) : 4+3  
SPEAKER UNIT SIZE (MM) : 59T  
FREQUENCY RANGE (HZ) : 140 - 18000  
S/N: RATIO (DB) : >45  
AUDIO INPUT : 3.5MM JACK  
PHONE OUTPUT : 3.5MM JACK  
CONTROLS : POWER ON/OFF, VOLUME  
WARRANTY (MO) : 6 & 3 L3  
POWER SUPPLY : THROUGH THE USB PORT

**Bluetooth**

**USB**

**FM**

**MRP: 649/-**



## Lamination

Model PLP701A3



Cold/Off/Hot Switch Functions



Manual Jam Release



Led Indicator

MRP : 3,999/-

## Lamination

Model Metal Lam

### Lamination

Model Metal Lam

- Integrated output chip in case over the colloid for reliable quality.
- Wide temperature adaptability (90°-170°C).
- Forceful with a no noise motor economical and energy saving.
- Firm and reliable metal frame work.

MRP : 4,999/-




Cold/Off/Hot Switch Functions



REVERSE FORWARD SWITCH





### PUNTA SERVICE CENTER

- West Bengal
- Delhi
- Maharashtra
- Uttar Pradesh
- Uttarakhand
- Andhra Pradesh
- Kerala
- TamilNadu
- Bihar
- Odisha
- Chhattisgarh
- Jharkhand
- Gujarat
- Karnataka

Monitors | Cabinets | Keyboard | Mouse | UPS | SSD  
LED TV | Speakers and Much More